

PLASTIC LABELS FOR PLANTS

IN ROLLS FOR THERMAL TRANSFER LABEL PRINTERS AND HAND WRITING

1. LOOP-LOCK LABELS

Loop-Lock labels can be easily applied without any tools. Suitable for labeling trees, shrubs, roses and other plants with branches. Can be used to label containers, braided furniture, decorative articles and etc. For printing with a Thermal Transfer Label printers and hand writing. Roll outer diameter around 18-21 cm. Minimum order: 1 roll.



Plastic **Polyart**® (BK) - label blanks of extremely strong but soft and flexible white plastic (special technology HDPE) in rolls. **Polyart**® has smooth soft matte surface, is completely resistant to water and rough atmospheric conditions, has good UV resistance, almost completely resistant to tearing in all directions, resistant to most oils and chemicals, remains flexible down to -40°C. High-quality print can be produced. RESIN ribbon is used for printing. Core diameter 40 mm or 76 mm. Big roll. Wind up: "the eyelet at the beginning".

Description	Code	Labels across the width	Labels per roll	Price for 1000 pcs., EUR excl. VAT	Price for 1 roll, EUR excl. VAT
Loop-Lock labels 215,9 x 20 mm Polyart ® (eyelet ~Ø22 mm)	PA215	5	2500	25,00	62,50
Loop-Lock labels 250,8 x 25 mm Polyart ® (eyelet ~Ø25 mm)	PA250	4	2000	32,00	64,00

Plastic **TT** (Meyer) – label blanks of white sturdy plastic (**PVC**) in rolls. Matte surface. WAX-RESIN ribbon is used for printing. Core diameter 76 mm. Big roll. Wind up: "the eyelet at the beginning".

Description	Code	Labels across the width	Labels per roll	Price for 1000 pcs., EUR excl. VAT	Price for 1 roll, EUR excl. VAT
Loop-Lock labels 200 x 17 mm TT (eyelet ~ Ø17 mm)	140700PV	6	3000	21,20	63,60
Loop-Lock labels 200 x 20 mm TT (eyelet ~ Ø20 mm)	140000PV	5	3000	24,33	73,00
Loop-Lock labels 200 x 25 mm TT (eyelet ~ Ø25 mm)	140500PV	4	3000	29,00	87,00
Loop-Lock labels 250 x 17 mm TT (eyelet ~ Ø17 mm)	145700PV	6	2000	24,80	49,60
Loop-Lock labels 250 x 20 mm TT (eyelet ~ Ø20 mm)	145000PV	5	2000	28,40	56,80
Loop-Lock labels 250 x 25 mm TT (eyelet ~ Ø25 mm)	145500PV	4	2000	34,40	68,80

Plastic **OPTI** (Meyer) – label blanks of white flexible plastic (PE) in rolls. Glossy surface. Better resistance to wind and cold compared to TT plastic. RESIN ribbon is used for printing. Core diameter 76 mm. Big roll. Wind up: "the eyelet at the beginning".

Description	Code	Labels across the width	Labels per roll	Price for 1000 pcs., EUR excl. VAT	Price for 1 roll, EUR excl. VAT
Loop-Lock labels 200 x 17 mm OPTI (eyelet ~ Ø17 mm)	140700LD	6	3000	26,07	78,20
Loop-Lock labels 200 x 20 mm OPTI (eyelet ~ Ø20 mm)	140000LD	5	3000	29,00	87,00
Loop-Lock labels 200 x 25 mm OPTI (eyelet ~ Ø25 mm)	140500LD	4	3000	31,93	95,80
Loop-Lock labels 250 x 17 mm OPTI (eyelet ~ Ø17 mm)	145700LD	6	2000	27,50	55,00
Loop-Lock labels 250 x 20 mm OPTI (eyelet ~ Ø20 mm)	145000LD	5	2000	33,40	66,80
Loop-Lock labels 250 x 25 mm OPTI (eyelet ~ Ø25 mm)	145500LD	4	2000	37,20	74,40

Plastic **Tyvek**® (Meyer) – label blanks of white extremely durable and flexible plastic (HDPE) in rolls. The structure is not uniform with visible plastic threads. RESIN ribbon is used for printing. Core diameter 76 mm. Big roll. Wind up: "the eyelet at the beginning".

Description	Code	Labels across the width	Labels per roll	Price for 1000 pcs., EUR excl. VAT	Price for 1 roll, EUR excl. VAT
Loop-Lock labels 200 x 17 mm Tyvek ® (eyelet Ø17 mm)	140700TY	6	1500	31,87	47,80
Loop-Lock labels 250 x 17 mm Tyvek ® (eyelet Ø17 mm)	145700TY	6	1500	39,73	59,60
Loop-Lock labels 250 x 25 mm Tyvek ® (eyelet Ø25 mm)	145500TY	4	1500	43,87	65,80

Special impregnated paper **LAHNUR®** (Meyer) – new generation durable resistant to atmospheric conditions 100% recyclable paper labels in rolls. Made from >80% renewable recyclable raw materials. Self-degradable over a longer period of time. RESIN ribbon is used for printing. Core diameter 76 mm. Big roll. Wind up: "the eyelet at the beginning".



Description	Code	Labels across the width	Labels per roll	Price for 1000 pcs., EUR excl. VAT	Price for 1 roll, EUR excl. VAT
Loop-Lock labels 200 x 17 mm Lahnur® (eyelet Ø17 mm)	140700LA	6	1500	26,00	39,00
Loop-Lock labels 250 x 25 mm Lahnur® (eyelet Ø25 mm)	145500LA	4	1500	42,80	64,20

2. LOOP-LOCK LABELS IN SHEETS

Plastic **Tyvek®** (Meyer) – label blanks of white extremely durable and flexible plastic (HDPE) in rolls. The structure is not uniform with visible plastic threads. Core diameter 76. Big roll. Wind up: "the eyelet at the beginning". For handwriting and dot-matrix printers.



Description	Code	Labels per sheet	Labels per pack	Price for 1 pack EUR excl. VAT
Loop-Lock labels 220 x 12,75 mm Tyvek® (eyelet Ø17 mm)	132200TY	24	1000	23,97
Loop-Lock labels 220 x 17 mm Tyvek® (eyelet Ø17 mm)	132700TY	18	1000	30,58

3. POINTED END LABELS (STICK IN)

White labels with the pointed end of sturdy **300μ** plastic (**PVC**) in rolls. Matte surface. For stick in directly to soil. Ideal for use in seedbeds, for cacti, perennials, etc. Suitable for label printers that support printing on a thick 300μ material (media path and temperature). Wax-Resin ribbon is used for printing. Core diameter 76 mm. Minimum order: 1 roll.




Description	Code	Labels per roll	Price for 1000 pcs., EUR excl. VAT	Price for 1 roll, EUR excl. VAT
Pointed End labels (Stick In) TT 100 x 17 mm	150700PV	2500	20,40	51,00
Pointed End labels (Stick In) TT 120 x 25 mm	152700PV	2500	21,60	54,00
Pointed End labels (Stick In) TT 100 x 25 mm	150500PV	2500	27,12	67,80

4. POINTED END LABELS FOR HANDWRITING

Separately cut. Made from a sturdy **300μ** (0,300 mm) plastic (**PVC**). For stick in directly to soil. Ideal for use in seedbeds, for cacti, perennials, etc. For handwriting or use as a base for sticking self-adhesive PP labels on them.

Description	Code	Labels per pack	Price for 1000 pcs., EUR excl. VAT	Price for 1 pack, EUR excl. VAT
Pointed End labels TT 100 x 16 mm White	150600PV	500	21,20	10,60
Pointed End labels TT 100 x 16 mm. Colour	15060xPV*	500	24,80	12,40
Pointed End labels TT 120 x 18 mm White	152800PV	500	27,20	13,60
Pointed End labels TT 120 x 18 mm. Colour	15280xPV*	500	29,60	14,80
Pointed End labels TT 100 x 16 mm. Set of white + colour 5 pcs. of each colour	Set	40	-	4,00

*- color code.



5. TAG LABELS

blanks for labels with holes of extremely strong and flexible white plastic **Polyart®** (special technology HDPE) in rolls. Can be tied up with an elastic thread, wire, fastener, etc. Polyart® has smooth soft matte surface, is completely resistant to water and rough atmospheric conditions, has good UV resistance, almost completely resistant to tearing in all directions, resistant to most oils and chemicals, remains flexible down to -40°C. High-quality print can be produced. RESIN ribbon is used for printing. Small roll – outer diameter is less than 120mm. Core diameter 40 mm.



Description	Code	Labels across the width	Labels per roll	Price for 1000 pcs., EUR excl. VAT	Price for 1 roll, EUR excl. VAT
Tag labels 58×101,6 mm Polyart® with a Ø3 mm hole by the short side	PATAG1	1	400	41,25	16,50
Tag labels 65×184,15 mm Polyart® with a Ø3 mm hole by the short side	PATAG2	1	250	88,00	22,00

6. SELF-ADHESIVE LABELS

Adhesive label blanks made of plastic **Polypropylene (PP)**. White glossy surface. Small rolls (the outer diameter of the roll does not exceed 127 mm. Suitable for the internal media holders of standard desktop printers). RESIN tape is used for printing. Core diameter 40 mm. Reinforced adhesive should be chosen for outdoor applications or when applying on not enough dry surface.



Description	Labels across the width	Labels per roll	Price for 1000 pcs., EUR excl. VAT	Price for 1 roll, EUR excl. VAT
Self-Adhesive PP 20x140 mm Polipropilenas. Reinforced adhesive. Small roll. 3 columns.	3	4000	7,70	30,80
Self-Adhesive PP 45x30 mm Polypropylene. Reinforced adhesive. Small roll. One column.	1	1500	5,52	8,28
Self-Adhesive PP 45x30 mm Polypropylene. Reinforced adhesive. Small roll. Two columns.	2	3000	5,52	16,56
Self-Adhesive PP 48x20 mm Polypropylene. Standard adhesive. Small roll. One column.	1	4000	3,04	12,14
Self-Adhesive PP 50x59 mm Polypropylene. Reinforced adhesive. Small roll. Two columns.	2	1600	8,16	13,05
Self-Adhesive PP 58x30 mm Polypropylene. Standard adhesive. Small roll. One column.	1	2000	4,10	8,20
Self-Adhesive PP 75x55 mm Polypropylene. Standard adhesive. Small roll. One column.	1	1000	8,64	8,64
Self-Adhesive PP 105x150 mm Polypropylene. Standard adhesive. Small roll. One column. (could be used for Shipping labels).	1	350	24,85	8,70
Self-Adhesive PP 105x150 mm Polypropylene. Reinforced adhesive. Small roll. One column. (could be used for Shipping labels).	1	350	28,08	9,83

7. RIBBONS

Thermal transfer ribbons (thermal ribbons, carbons, etc.) are used in label printers to print on various materials using thermal transfer method (Thermal Transfer, TT). The type of ribbon is selected according to the type of print head of the printer (Near Edge or Flat Head) and the material to be printed on – type of paper or plastic. Different ribbons can be used for printing on a different types of paper or different types of plastic. Attention should be also paid to the length of the ribbon in a roll - standard desktop and industrial printers can use ribbons 300 m long (industrial ones even longer), yet the small desktop printers - not longer than 95 m. The width of the ribbon should slightly exceed the width of the material - it must completely cover the material and slightly step out beyond the edges.

Description	Printer type		Price, EUR excl. VAT
Ribbon WAX-RESIN For TT (PVC) 64mm x 300m 84mm x 300m 104mm x 300m	FLAT HEAD		5,03 6,60 8,14
Ribbon RESIN For Opti (PE), Tyvek® (HDPE), Polyart® (HDPE), Polypropylene (PP) 64mm x 300m 84mm x 300m 104mm x 300m	FLAT HEAD / NEAR EDGE		8,55 11,23 13,90
Ribbon RESIN 108mm x 74m For Opti (PE), Tyvek® (HDPE), Polyart® (HDPE), Polypropylene (PP)	FLAT HEAD / NEAR EDGE		4,12
Spare core for used ribbon	By choice 0.5" or 1"		1

8. PRINTERS, ACCESORIES

Model	Description		Price, EUR excl. VAT
Honeywell PC42E-T 203dpi USB/LAN PC42E-T 300dpi USB/LAN	Desktop label printer HONEYWELL Print method - Direct Thermal (DT) and Thermal Transfer (TT). Ribbon up to 300 m Max. label thickness 0,200 mm Free BarTender UltraLite .		211,00 280,00
GoDex G500 203dpi USB G500 203dpi USB/LAN G530 300dpi USB G530 300 dpi USB/LAN	Desktop label printer GODEX Print method - Direct Thermal (DT) and Thermal Transfer (TT). Ribbon up to 300 m . Max. label thickness 0,250 mm Free software GoLabel with database support		239,00 265,00 310,00 370,00
TSC TE200 203dpi USB TE210 203dpi USB/LAN TE300 300dpi USB	Desktop label printer TSC Print method - Direct Thermal (DT) and Thermal Transfer (TT). Ribbon up to 300 m Max. label thickness 0,190 mm Free software BarTender UltraLite .		205,00 244,00 342,00
HONEYWELL PD45 203dpi PD45 300dpi	Midrange Industrial label printer Honeywell Print method - Direct Thermal (DT) and Thermal Transfer (TT). Ribbon up to 450 m Max. label thickness 0,230 mm Free software BarTender UltraLite		897,00 1020,00
Bixolon XT5-40 203dpi XT5-40 300dpi	Industrial label printer Bixolon Print method - Direct Thermal (DT) and Thermal Transfer (TT). Ribbon up to 450 m Max. label thickness 0,300 mm Free software Bixolon LabelArtist		1050,00 1300,00

EXT_LAIIKLIS	External media roll holder for desktop printers. It is used with the desktop printers to hang the media roll outside the printer when printing on a big rolls with outer diameter bigger than 127mm.		30,00
--------------	--	---	-------

SMALL ROLL – outer diameter of the roll does not exceed 127 mm. Fits inside standard desktop printers.

BIG ROLL – outer diameter around 200 mm. Fits semi-industrial and industrial printers, or on an external media holder for standard desktop printers..

STANDARD ADHESIVE – for applying in warm conditions on dry surfaces.

REINFORCED ADHESIVE – could be applied in cooler conditions and on not enough dry surface

All prices are in EUR excl. VAT (FCA Panevezys, Lithuania). Delivery costs are not included.